



50571.5.56
2013/
60364-5-56:
2009

5-56

I E C 60364-5-56:2009
Low-voltage electrical installations —
Part 5-56: Selection and erection of electrical equipment— Safety services
(IDT)



a
2014

50571.5.56—2013/ 60364-5-56:2009

1

4

2 8

337 «

3

6 2013 . No 974-

4

60364-5-56:2009 «

5-56.

» (fEC 60364-5-56:2009 Low-voltage electrical installations — Part 5-56: Selection and erection of electrical equipment — Safety services*).

5 8

1

)

«

1.0—2012 (

8).

(

»,

«

».

()

,

«

».

,

«

— (gost.ru).

©

.2014

50571.5.56—2013/ 60364-5-56:2009

560.1	1
560.2	1
560.3	2
560.4	3
560.5	3
560.6	4
560.7	5
560.8	6
560.9	6
560.10	7
()	9
() 10
()	11
()	13
	14

in

50571.5.56—2013/ 60364-5-56:2009

5-56

Low-voltage electrical installations.
Part 5-56. Selection and erection of electrical equipment. Safety services

— 2015—01—01

560.1

(),

60079-14.

560.2

60331 ()

IEC 60331 (all parts) Tests for electric cables under fire conditions — Circuit integrity
60332-1-2

1-2.

1

IEC 60332-1 -2 Tests on electric and optical fibre cables under fire conditions — Part 1 -2: Test for vertical flame propagation for a single insulated wire or cable — Procedure for 1 kW pre-mixed flame
60364-4-43

4-43.

IEC 60364-4-43 Low-voltage electrical installations — Part 443: Protection for safety — Protection against overcurrent

60702-1

750 . 1.

IEC 60702-1 Mineral insulated cables and their terminations with a rated voltage not exceeding 750 V.
Part 1. Cables

60702-2

750 . 2.

IEC 60702-2 Mineral insulated cables and their terminations with a rated voltage not exceeding 750 V.
Part 2. Terminations

62040-1-1

(UPS). 1.

UPS

IEC 62040-1-1 Uninterruptible powersystems(UPS) — Part 1: General and safety requirements for UPS
62040-1-2 (UPS). 1-2.

UPS.

50571.5.56—2013/ 60364-5-56:2009

IEC 62040-1-2 Uninterruptible power systems (UPS) — Part 1-2: General and safety requirements for UPS used in restricted access locations

62040-3

(UPS) —

3:

IEC 62040-3 Uninterruptible power systems (UPS) — Part 3: Method of specifying the performance and test requirements

8528-12

12.

ISO 8528-12 Reciprocating internal combustion engine driven alternating current generating sets — Part 12: Emergency power supply to safety services

30061:2007

ISO 30061:2007 Emergency lights

560.3

560.3.1

•

•

1 —

2 —

•

•

•

•

•

•

560.3 2

560.3.3

560.3.4

560.3.5

560.3.6

[ISO 30061:2007. 4.1]

560.3.7

560.3.8

560.3.9

560.3.10

560.3.11

50571.5.56—2013/ 60364-5-56:2009

560.3.12 () (): -

560.3.13 (): 500 3 1500 -

—

560.3.14 : -

560.3.15 : , -

560.3.16 : -

560.3.17 : , -

560.4

560.4.1

- :
- :
- , :
- , :
- ; 0.15 ;
- 0.5 :
- 15 :
- :

15 .

560.4.2

560.5

560.5.1

, , (. 560.5.2
560.5.3).

560.5.2 , ,

• ,

• ,

—

560.5.3 ()

50571.5.56—2013/ 60364-5-56:2009

560.5.4

560.6

560.6.1

- ;
 • ;
 - ;
 - ,

560.6.2

560.6.3

4).

560.6.4

560.6.5

560.6.6

560.6.7

560.6.8

560.6.8.1

560.6.8.2

560.6.9

1 —

2 —

560.6.10

60623 [2] 60896 (3).

— 20' 10

560.6.11

500 3

1500 1

60623 [2] 60896 [3].
— 20' 10

50571.5.56—2013/ 60364-5-56:2009

560.6.12	()			
a)				
b)	,			
c)	560.6.10.			
d)		62040-1-1.	62040-1-2	62040-3
560.6.13				
560.6.14	6528-12.			
560.7				
560.7.1				
	—	,		
560.7.2				(6 2).
().				—
560.7.3	60364-4-43 (433.3)		
560.7.4				
560.7.5				(6 5
4).				
560.7.6				
	,	,		
560.7.7	,	,		
	—	,		
560.7.8	,	,		
560.7.9	,	,		
560.7.10	:	,		
•		,		
•				

50571.5.56—2013/ 60364-5-56:2009

(, ,).
560.7.11

560.7.12

560.8

560.8.1

a) 60702-1 60702-2;
b) 60331-11, 60331-21
60332-1;
c)

560.8.2

560.8.3

560.8.4 6

560.8.5

560.9

560.9.1

560.9.1—560.9.4

560.8.1 560.8.2,

560.9.2

50571.5.56—2013/ 60364-5-56:2009

560.9.3

CIE S 020/ISO 30061.

1

560.9.4

560.9.5

560.9.6

560.9.7

560.9.8

560.9.9

0.6
0.85

0.5

1

2

560.9.10

560.9.11

560.9.12

560.9.13

560.9.14

560.9.15

30

560.10

560.10.1

50571.5.56—*2013/ 60364-5-56:2009

560.10.2

560.10.3

560.10.4

.1.

50571.5.56—2013/ 60364-5-56:2009

()

CIE S 020/ISO 30061.

1

1 —

	1	2			S		7		9
	*	-			-		-	-	
	*	-	*	-	-		-	-	
	-		*	-	-		-	-	
	*					(0)	(<0.5)	(<15 >)	
,	-				+		*		
	«»								
,	-	«»			+				
	••		+	+					
					+				
,	-								
,	-				+				
,	-								
*									
,									
-						*		+	
					+				
					+				
				+					

•
 * (, , , ,),
 , 6 h

50571.5.56—2013/ 60364-5-56:2009

()

.1 —

	1	2	3	4	S		7	8		to
	*					-	-	-		-
	-	10 *	moo*	-	-	-	*	-		-
	-	,		-		-	-	-		-
						(0)	<< 0.5	<< 1*)		
-	12	15								*
-	8	15								
-	3	15								
-	3	15								
-	3	1S								
-	1	15								
* ,										

50571.5.56—2013/ 60364-5-56:2009

()

	560.5.2			8 , 560.5.2. - -
	560.6.1			8 - -
	560.6.1			8
	560.6.3			8 , 560.6.3. - -
	560.6.4			8 , 560.6.4. - -
	560.6.5			8 - -
	560.6.5			8
	560.6.10			8 - -
	560.7.1			8 , 560.7.1. - -
	560.7.2			8 , 560.7.2. - -
	560.7.7			8 560.7.7 - - • DIN 4102-12:1998-11 (4) • 30 90 • 30 •
	560.7.7			8 - - DIN 4102-12 (4).
	560.8			8 - -

50571.5.56—2013/ 60364-5-56:2009

	560.8.1			560.8.1 OIN 4102-12:1998-11 (90) • • 30
	560.8.1			H05SJ-K.
	560.8.1			,
	560.8.1			,
-	560.9			BS 5266.
				• (• 90) 30
	560.9.2			,
	560.9.2			12
	560.9.7			,
	560.9.9			0.6
	560.9.1S			,
	S60.10			,
-				BS 5839.
	-			2 , - 1
	-			

50571.5.56—2013/ 60364-5-56:2009

()

.1

60331 ()	—	•
60332-1-2		IEC 60332-1-2—2011 « - 1-2. - - - 1 »
60364-4-43		S0571.4.43—2012/ 60364-4-43:2008 « - 4-43. »
60702-1	—	.
60702-2	—	.
62040-1-1	—	•
62040-1-2	—	.
62040-3	—	.
8528-12		8528-12—2005 « - 12. »
30061:2007	—	•
* — • IDT —		

50571.5.56—*2013/ 60364-5-56:2009

- (1) 60079-14 . 14.
(Explosive atmospheres — Part 14: Electrical Installations design, selection and erection)
- (2) 60623 ,
(Secondary cells and batteries containing alkaline or other non-acid electrolytes. Vented
nickel-cadmium prismatic rechargeable single cells)
- (3) 60896 {) (Stationary lead-acid batteries)
(4) DIN 4102-12 . 12.
(Fire behaviour of building materials and building components — Part 12: Circuit integrity
maintenance of electric cable systems: requirements and testing)

50571.5.56—2013/ 60364-5-56:2009

621.316.542:006.354

91.140

71

34 6400

11.03.2014. 19.03.2014. 60 * 8 4
.. . 2,32. - .. 1.67- 69 .. 469.

« ».. 123995 ..
www.90sboio.ru mfo@90sU1fo.ru .. 4.