

()

INTERSTATE COUNCIL FOR STANDARDIZATION, METROLOGY AND CERTIFICATION
(ISC)

CISPR 16-2-3— 2016

2-3

(CISPR 16-2-3:2014, IDT)



2016

CISPR 16-2-3—2016

1.0—2015 «
 1.2—2015 «
 1 «
 30 «
 2 ()
 3 29 2016 . 86-) (-

no (3166) 004—97	(3166) 004—97	
	AM BY KZ KG RU TJ UA	

4 2016 . 1455- CISPR 16-2-3—2016 20
 1 2017 .
 5 CISPR 16-2-3:2014 «
 2-3. -
 » («Specification for
 radio disturbance and immunity measuring apparatus and methods — Part 2-3: Methods of measurement of
 disturbances and immunity — Radiated disturbance measurements», IDT).
 CISPR 16-2-3:2014 -
 (CISPR) (IEC),
 « .
 CISPR 16-2-3:2014 -
 2010 ., 1 (2010) 2 (2014).
 CISPR 16-2-3:2014 -
 : -
 (OATS) (SAC) 8 30 1000 -
 CISPR 16 (FFT) CISPR 16-1-1. -

6

« — » (1 «),
() « ».
, « ».
—
(www.gost.ru)

© , 2016

-

III

CISPR 16-2-3—2016

1	1
2	1
3	2
4	6
4.1	6
4.2	6
4.3	6
5	7
6	7
6.1	7
6.2	7
6.3	7
6.4	8
6.5	11
6.6	11
7	19
7.1	19
7.2	(9 — 30).....	20
7.3	(30 — 1).....	21
7.4	(FAR) (30 — 1).....	25
7.5	(30 — 1) (80 — 1).....	30
7.6	(FAR) (OATS)/b (SAC), (1—18)... .36	36
7.7	(9 — 18).....	44
7.8	(30 — 18).....	50
7.9	(80 — 18).....	51
7.10	(30 — 18).....	52
8	52
8.1	52
8.2	52
8.3	52
8.4	54
8.5	55
8.6	56
8.7	56
	()	57
	()	69
	()	71
	D () (APD)	75

	()	77	
	()	78	
		80	
1 —	(, NB)	14	
2 —		15	
3 —	,	15	
4 —	,	16	
5 —	,	21	
	(LAS)	21	
6 —	(OATS) , (SAC),	22	
7 —	(FAR)	26	
	(, ,)	26	
8 —	(FAR)	27	
9 —	(FAR)	28	
10 —	()	31	
11 —		34	
12 —	()	35	
13 —		35	
14 —	()	36	
15 —	1 ,	38	
16 —		40	
17 —		49	
18 —		51	
19 —	,	52	
20 —		18	
21 —		19	
22 —	CMAD OATS SAC	25	
.1 —		59	
.2 —		60	
. —	,	()	61
.4 —	,	AM ()	61
.5 —	AM	D CISPR	62

CISPR 16-2-3—2016

.6—	-	(50)	63
.7—	,	()	63
.8—		()	64
.9—	-	()	64
.10—			65
.11—		d / [. (.) (.6)]	66
.12—		(.8)	67
.1—		10 () (CISPR AV) 160 ... 72	
.2—		10 () (CISPR AV) 100 ... 73	
. —	()	(1) :	
.4—		160 (1) :	73
		100	73
D.1—	APD	1	75
D.2—	APD	2	76
1—		CISPR	12
2—		CISPR	20
3—		$w(w_{mjn})$	39
4—	\wedge		40
5—		.. 48	
6—	()	30 1000	54
7—		CISPR . 12	
.1—			57
.2—			68
.1—		100	71
.2—			72
.1—			77

2-3

Specification for radio disturbance and immunity measuring apparatus and methods. Part 2-3. Methods of measurement of disturbances and immunity. Radiated disturbance measurements

— 2017—06—01

1

CISPR 16-4-1 9 18
 CISPR 16-4-2.
 IEC 107 CISPR 16
 IEC,
 IEC,
 CISPR
 IEC,

2

().
 CISPR 14-1:2005, Electromagnetic compatibility — Requirements for household appliances, electric tools and similar apparatus — Part 1 — Emission

1.

CISPR 16-1-1, Specification for radio disturbance and immunity measuring apparatus and methods — Part 1-1: Radio disturbances and immunity measuring apparatus — Measuring apparatus

1-1.

CISPR 16-1-2:2003, Specification for radio disturbance and immunity measuring apparatus and methods — Part 1-2: Radio disturbance and immunity measuring apparatus — Ancillary equipment — Conducted disturbances

Amendment 1 (2004)

Amendment 2 (2006)

1-2.

1 (2004)

2 (2006)

CISPR 16-2-3—2016

CISPR 16-1-4:2010. Specification for radio disturbance and immunity measuring apparatus and methods — Part 1 -4: Radio disturbance and immunity measuring apparatus —Ancillary equipment — Radiated disturbances

1-4.

CISPR 16-2-1:2008. Specification for radio disturbance and immunity measuring apparatus and methods — Part 2-1: Methods of measurement of disturbances and immunity — Conducted disturbance measurements

2-1.

CISPR 16-4-1. Specification for radio disturbance and immunity measuring apparatus and methods — Part 4-1: Uncertainties in standardized EMC tests

4-1.

CISPR 16-4-2. Specification for radio disturbance and immunity measuring apparatus and methods — Part 4-2: Uncertainties, statistics and limit modeling — Measurement instrumentation uncertainty

4-2.

CISPR 16-4-5, Specification for radio disturbance and immunity measuring apparatus and methods — Part 4-5: Uncertainties, statistics and limit modeling — Conditions for the use of alternative test methods

4-5.

IEC 60050-161:1990, International Electrotechnical Vocabulary (IEV) — Chapter 161: Electromagnetic compatibility

Amendment 1 (1997)

Amendment 2 (1998)

161.

1 (1997)

2 (1998)

IEC 61000-4-3:2006, Electromagnetic compatibility (EMC) — Part 4-3: Testing and measurement techniques — Radiated, radio-frequency, electromagnetic field immunity test

Amendment 1 (2007)

(). 4-3.

1 (2007)

IEC 61000-4-20, Electromagnetic compatibility (EMC) — Part 4-20: Testing and measurement techniques — Emission and immunity testing in transverse electromagnetic () waveguides

(). 4-20.

()

3

IEC 60050-161,

3.1

(absorber-lined OATS/SAC):

3.2

(ancillary equipment): (,)

	()		
3.3	(antenna beam):	(
	()	
),		
3.4	(antenna beamwidth):		
	(3)		-
—			
3.5	; (associated equipment,):		-
3.6	; AuxEq (auxiliary equipment, AuxEq):		-
3.7	(basic standard):		-
—			
[2 ISO/IEC,	5.1]	
3.8	(coaxial cable):		-
,			
3.9	; CMAD (common-mode		
absorption device, CMAD):			-
,			
[CISPR 16-1-4, 3.1.4]			
3.10	(conformity assessment):		
,			
—			
	ISO/IEC 17000:2004,		-
,			
[ISO/IEC 17000:2004, 2.1,]	
3.11	(continuous disturbance):	200	
,			
[IEC 60050-161:1990,161-02-11,)	
3.12	[(electromagnetic) emission]:		-
,			
[IEC 60050-161:1990,161-01-08,]	
3.13	() [emission limit (from a disturbing	
source)]:			
[IEC 60050-161:1990, 161-03-12]			
3.14	; (equipment-under-test, EUT):	(
),	(-
)().	
3.15	; FAR (fully-anechoic room, FAR):		-
,			
),	(
3.16	; LAS (loop-antenna system, LAS):		-
,			

- 3.24 (,) [weighting (of e.g. impulsive disturbance)]: -
 (,) -
 , , , -
 1 — -
 (,), -
 2 — -
 , (BER) -
 (,), -
- 3.24.1 (weighted disturbance measurement):
- 3.24.2 (weighting characteristic): -
- 3.24.3 (weighting detector): , -
- 3.24.4 (weighting factor): -
-
- 3.24.5 (weighting function or weighting curve):
- 3.25 (measurement):
- [99:2007 ISO/IEC, 2.1] [8]^{1>}
- 3.26 (test): , -
 — /
- [IEC 60050-151:2001.151-16-13] [9]
- 3.27 (highest internal frequency): -
 () , -
- 3.28 (module): , -
- 3.29 ²) , 3.1—3.28.
- AM — , AM;
- APD — ;
- AV — ();
- ();
- CW — () ;
- FFT — ;
- FM — , ;
- IF — . ;

1> « ».
 2> CISPR 16-2-3 — 3.2.

CISPR 16-2-3—2016

- ISM — ();
- LPDA — ;
- NB — ();
- NSA — ;
- PRF — ;
- RBW — ;
- RF — ();
- RGP — ;
- QP — ();
- ();
- UFA — ;
- VBW — .

4

4.1

4.2

- a) ³⁾ 8 -
- (ISM) -
- b) -
- c) -
- 1 (30/) () -
- CISPR 16-1-1.

4.3

- a) -
- b) -
- c) -
- « »

d)

CISPR 16-1-1.

5

6

6.1

a)

b)

6.2

6.2.1

6.2.2

()

6

3,5

20

6

6

6.3

6.3.1

6.3.2

6.3.3

6.5.1.

CISPR 16-2-3—2016

6.4

6.4.1

6.4.4.1

2

30—40

2

2

(RGP)

6.4.1.2

1,5 * 1,0

0,1

0,4

0,8

6.4.1.3

(RGP)

(15)

(15)

RGP.

RGP,

0,4

RGP,

0,4

0,4

RGP,

RGP

0,4

0,4

RGP.

6.4.9

(L - 20), L — 8

6.5

6.5.1

a)

15

(. CISPR 14-1,

4.2).

b)

2 15 ,

1)

2)

c)

d)

CISPR.

6.5.2

6.5.3

6.6

6.6.1

8.3.

CISPR 16-2-3—2016

6.6.2
 7
 CISPR 1. ()
 7,
 1,
 CISPR 16-4-2.

7 —

CISPR

	9—150	10,00
	0,15—30	0,50
ChD	30—1000	0,06
	1—18	0,01

1 —

CISPR

		5	\$
	9—150	14,1	2820 = 47
	0,15—30	2,985	5970 = 99,5 = 1 39
	30—1000	0,97	19400 = 323,3 = 5 23

(. 6.5.1),

15

(. 8),

/
6.6.3

6.6.3—6.6.5.

$T_{smjn} = \min \left(\frac{B_{res}}{10}, \frac{B_{res}}{15}, \dots \right)$

$\min = \min(WIB^{**})$ (D)

$T_{smjn} = \min \left(\frac{B_{res}}{10}, \frac{B_{res}}{15}, \dots \right)$

$B_{vl(jeo)} = \min \left(\dots \right)$

$\min = \min(\&res \ \& \ video)$ (2)

« ... »

7^*_{smjn}

6.6.4


$T_{sm'n} = T_{mmin} \cdot fl(P, 5B_{KS})$ (3)

$\min = \min \left(\dots \right)$

50 %

7^*_s

6.6.5




—

1—
()

()
(, NB)

».


«



(800),
()

>10

2—



3—

() , , 2.

3),

4),

CISPR 16-1-1.



1 —

2 —

4 —

6.6.6

$$N_{S6g} = \frac{7L}{20} \cdot \dots \quad (18)$$


—
 N_{S6g} —
 7L.-
 20
 /
 N_{S6g}
 * = ^ ,
 (18)
 FFT'
 ^ 1


4nin«
 'min + ^step FFT*
 'min + FFT'
 'min + ^stepFFT. ••••
 :
 'min + ^step final'
 'min + fstep final + ?step FFT*
 'min + f\$step final + ^step FFT'
 'min + f\$step final + ^step FFT ••••

$$T_{scan} \cdot \dots \quad (19)$$

$$T_m \cdot \dots \quad (20)$$

CISPR 16-3 [2].





21 —

7

7.1

CISPR

2

30

(LAS)

(

19

CISPR 16-2-3—2016

.)

2 —
CISPR

/	9 —30	30—1000	1—18
		7.3.8	
(LAS)	7.2		
(SAC) (OATS) -		7.3	
(FAR)		7.4	7.6
(RI)		7.5 (RI 80)	
OATS,			7.6
	7.7.2	7.7.3, 7.7.42	7.7.3, 7.7.4.3
		7.8	7.8
	7.7.2	7.9 (80)	7.9
-	IEC 61000-4-20	7.10	7.10

7.2 (9 — 30)

7.2.1

(LAS),

9 30

LAS

CISPR 16-1-4.

LAS

LAS

LAS,

7.2.2

5

LAS.

LAS.

LAS

()

(),
LAS,

2

7.2.3

LAS

0,5
CISPR 16-1-4.


LAS

7.2.4

LAS

LAS

0,2



(LAS)

LAS

4

CISPR 16-1-2, .6

a)

b)

0,10 —

7.2.5

(LAS)

CISPR 16-4-1.

7.3

(30 —1)

7.3.1

1 4

CISPR 16-2-3—2016


a) 30—1000 ;
 b) ;
 c) SAC/OATS CISPR;
 d) CISPR 16-1-1;
 e) 30 10 ; 3
) CISPR;
 h) V_r ;
 F_a ;
 $E = V_r + A_c + F_a$ (4)
 V_r — (/), ;
 F_a — ; ("1).

7.3.2

CISPR 16-1-4, /

7.3.3

6 (OATS) (SAC),



6 — (OATS) (SAC),

7.3.4

$$U_{lm} = 10^{10} \text{OS}(\text{centre})$$

10

3

30

a) $f = Z/6, \quad Z =$

$$\frac{d}{f} = Z_q = 120 = 377$$

b) $d >$

0,5

c) $d \geq 2 \sqrt{2D^2}, \quad D =$

$D \gg Z.$

7.3.5

10

(30)

1

4

2

6

1

25

7.3.6

7.3.6.1

CMAD.

CMAD.

CMAD,


2 — [10]

CMAD.

CMAD

CMAD

CISPR/TR 16-3 [2], 4.9.1.



¹⁾
CISPR 16-1-4,

CMAD

22 —

CMAD

OATS

SAC

7.3.7

CISPR 16-1-1 CISPR 16-1-4.

7.3.8

ISM

(OATS),

7.3.4—7.3.7.

7.3.9

OATS SAC

CISPR 16-4-1.

OATS SAC (30 1),


CISPR 16-4-2.

7.4

(FAR) (30 — 1)

7.4.1

FAR.



Размеры в сантиметрах

— ; 2 — 1.5; 2.5; 5 ; d—3.5 10 (3.5 10)

1) CMAD (7).
 2) CMAD no CISPR 16-1-4, -

8 —

(FAR)

C_{dr} [(5).]


(C_{dr}) , (6) F_a

$$C_{dr} = 20 \log [(d + P, -)/d]. \tag{5}$$

$$E_i = VF_{e+} C_{dr}. \tag{6}$$

- f — ;
- d — ;
- ;
-
- E_f — d , (/);
- V_t — f, ();
- C_{dr} — ;
- F_e — ()

("1)



10 — ()

7.5.3

(AuxEq) ()
 CISPR 16-1-4. CISPR 16-1-4;
 IEC 61000-4-3

(UFA) IEC 61000-4-3. b (0°), UFA, 10,
 UFA. (90°).

1,5
 0,75

0 / 6 ; IEC 61000-4-3,
 0 / 6

P_{el} () UFA
 UFA 2

0,75

1 2

CISPR 16-2-3—2016

(IEC 61000-4-3, 6.2. 20 %
 3 (. . 0.6), 1 10 ()
).
 — , , - , -
 , , , /
 0°, 90°, 180° 270°
 , .
 2. , -
 (. . () 0,6), -
 7.5.4 / -
 , , () -
 , . 7.3.6.3. -
), 7.3.6.3. (, -
 : -
 (0,8 ± 0,01) (. 7.3.6.3). CISPR 16-1-4 -
 ; , , -
 5 15 , , -
 (. .). -
 , , (, -
), (, 2) -
 , (, 2). -

:

1, (30—40), (11 12), (1 ± 0,1), (0,8), (0,4 ± 0,04), (0,8), (13 14), (8), (10), (30—40), (11 12), (1 ± 0,1), (13 14), (3), (AugEq), (75), (8), (150);

150

7.3.6.3

CMAD

8

NSA


s CISPR 16-1-4

: (0,2±0,02)

: (0,810,08)

: (0,410,04)


30-40



CMAD


CISPR 16-1-4;

— NSA —



12 —

()



1>

CMAD

CISPR 16-1-4;

— NSA —

13 —

35

CISPR 16-2-3—2016




Рисунок 14 - Испытательная установка для напольного оборудования (вид сверху)

7.5.5

CISPR 16-4-1.

7.6

(OATS)/b
(1—18)

(FAR)
(SAC),

7.6.1

1

P_{RS}

3

$$\epsilon = \wedge + 7,4$$

$d(\quad),$

3

$$= p_{RE} + 7,4 + 20 \log (3/d).$$

(7)

(8)

7.6.2

d


(\quad 15).

30

— , , (2A) ,
 , , 3 (,),
 1 10 . -
 3 -
 , , -
 , , -
 . , -
 7.6.3 , -
 , 1 , -
 . .). (, , -
 1 , 1 -
 , (, -
) , (, -
) , -
 CISPR 16-1-4. , -
 (. 7.6.6.1 15). 30 -
 , , () -
 7.6.4 -
 7.6.5 CISPR 16-1-4. -
 CISPR 16-1-4. , CISPR 16-1-1 -
 , , -
 1 () , CISPR 16-1-1. -
 , , 1 -
 (CISPR 16-1*1.) , -
 , -
 — -
 1 , 1 , -
 (. .) . -
 , , -
 , , -
 , , -
 , , -

CISPR 16-2-3—2016

7.6.6
7.6.6.1



ьCISPR 16-

15 —

1

15,

(. CISPR 16-1-4).

():

30

30

w (.

w)

(. 7.6.3);

3

-0₃ :

0₃

0₃

- d:

() .

- w:

0₃

d.

/


(9)

w


	°	DRG			°	LPDA		LPOA-V@	
		$d = 1$	$d =$	≤ 10		$d = 1$	$d = 3w$	≤ 10	
		IV.	W.	IV.		IV.	w.	IV.	
1,00	60	1,15	3,46	11,55	60	1,15	3,46	11,55	
2,00	35	0,63	1,89	6,31	55	1,04	3,12	10,41	
4,00	35	0,63	1,89	6,31	55	1,04	3,12	10,41	
6,00	27	0,48	1,44	4,80	55	1,04	3,12	10,41	
8,00	25	0,44	1,33	4,43	50	0,93	2,80	9,33	
10,00	25	0,44	1,33	4,43	50	0,93	2,80	9,33	
12,00	25	0,44	1,33	4,43	50	0,93	2,80	9,33	
14,00	25	0,44	1,33	4,43	45	0,83	2,49	8,28	
16,00	5	0,09	0,26	0,87	40	0,73	2,18	7,28	
18,00	5	0,09	0,26	0,87	40	0,73	2,18	7,28	

LPDA-V:
LPDA LPDA-V.

V- . 0₃ w



a) w



b) w

16 —

w, [16)].
w.
16).
4 .
h 1 4 .

()
 7.6.6.2
 7.6.6.2.1
 ()
 (7.6.6.2.2).
 (7.6.6.2.3).
 /
 ()
 ()
 10
 10
 7.6.6.2.2
 (3.27) 108
 1
 108 500
 2
 500 1
 5
 1
 7.6.6.2.3
 8
 7.6.6.2.4.

CISPR 16-2-3—2016

- a) ;
- b) ;
- c) ;
- d) ; 15°
- e) 360° ;
- 15° ; 15° ; 7.6.6.1 (
- 16),) —d),
- (5)
- 10
- 7.6.6.2.4
- (. .),
- (. .),
- a) ; w,
- b) [. 16]]; w,
- 7.6.6.1; () ,
- c) 0° 360° ;

1)	0° 360°	1° < as 15°	—
2)			—
3)			—
7.6.6.3	()		—
(APD)			—
7.6.6.3.1	(APD)		—
	APD	CISPR/TR 16-3 [2],	4.7.
	APD	APD	—
	APD		—
(1. 7.6.6.3.2).	$E_{m\text{egs}}$ (/),	P_{limit}	—
D.		E_{Kmit} (/) ($P_{m6\text{as}}$ 2, 7.6.6.3.3).	—
1,	2.	APD,	—
		2.	—
	1,	2.	—
APD.	P_{lim}		—
7.6.6.3.2	1.		—
1)	(RBW)	(VBW)	—
2)	CISPR 16-1-1 (1)		—
			—
		APD.	—
3)	APD.		—
4)			—
5)	2)	5	—
6)	2).		APD

2 —

7.7.2
7.7.2.1

1 (

CISPR 16-1-4, 4.3.2,
).

$$= \sqrt{E_x^2 + E_y^2 + E_z^2}$$

377,

377

$$= \sqrt{H_x^2 + H_y^2 + H_z^2}$$

77.2.2

d_{limit}

()

7.7.3
7.7.3.1

30

8

200

1

4

200

2
7.7.3.2

d_{std}

7.7.2.2.

d^{\wedge}

7 7.2.2

$$E_M = E_{meas} + 20n \cdot 10^{d^{\wedge}} \cdot a_{std} \quad (10)$$

E_{std} —

E_{meas}^{****}

d_{meas} —

d_{std} —

d_{maas}

- $30MSd_{mMS} \dots \dots \dots = 1;$
- $10 < d_{maas} < 30 \dots \dots \dots = 0,8;$
- $3 \ 2 \ d_{meas} < 10 \dots \dots \dots = 0,6.$

— < 1

3

(10)

(7.7.4).

7.7.4

7.7.4.1

[(12)].

20

(« » — 8)
).

77.4.2 30 1000
 7.7.4.2.1

$$I(2), \tag{11}$$

d — ;
D — ;
X —

$$d > 30 \tag{10}$$

7.7.3.2,

77.4.2.2

77.4.2.1.

4 ,

a)) —):

G

b) « » (150)

c) ()

d) 3 ;

e) (1)

f) ()

d). [()] ,

(), G

$$P_f = P_g + G. \tag{12}$$

$$P_f = P_{g+G+4} \quad (13)$$

$$d^{\wedge} \quad E_{free} / \dots$$

$$\wedge_{ree} = 7f_{astd} \quad (14)$$

$$d_{##} \quad (14),$$

$$(14), \quad 6 \quad (14)$$

$$\wedge = 201 \wedge + 22,9 \quad (15)$$

160

$$6 \quad 5$$

$$\wedge_{std} = -20 \log c_d^{\wedge} + 16,9 + (6 - c_j) \quad (16)$$

$$E_{std} \text{ --- } (\quad);$$

$$d_{std} \text{ --- } ;$$

1

5 —

<i>f</i> ,	30	40	50	60	70	90	100	120	140	160	180	200	750	1000
	11	10,2	9,3	8,5	7,6	5,9	5,1	3,4	1,7	0	0	0	0	0

7.7.4.3 1 18

7.7.4.3.1

17.

5

20




Рисунок 17 — Определение переходного расстояния

7.7.4.3.2

7.7.4.2.1

(, -).

().

(),

G

$$P_r = P_g + G.$$

(17)


7.7.5

;


;

;

()



а) Измерение



б) Калибровка

Рисунок 18 — Геометрия испытательной установки при методе замещения

7.8.5

7.8.4

90°

360°

7.8.6

CISPR 16-4-1.

7.9

(80 — 18)

IEC 61000-4-21.

CISPR 16-4-5.

CISPR 16-4-1.

CISPR 16-2-3—2016

7.10 - (30 —18)

IEC 61000-4-20.
CISPR 16-4-5.
CISPR 16-4-1.

8

8.1

(EMI).

(OATS).

8 /

8.2



(. 6.6.2).

19.

8.3

8.3.1

19 —

(OATS),

8.3.2 6.6.

15

(

2

/

/

.)

8.3.3

:

•

9

30

CISPR11,

-

30

1000

6,

•

;

1

7.6.6.1.

CISPR 16-2-3—2016

6 —

)

30 1000

(

-

			(/).
3		30—100 100—250 250—1000	2,5 1/2 1/1,5
		30—100 100—250 250—1000	1 1/2 1/1,5/2
10		30—100 100—200 200—400 400—1000	4 2,4/4 1,5/2,5/4 1/1.5/2.5
		30—200 200—300 300—600 600—1000	1 1/3,5 1/2/3,5 1/1.5/2 3.5
30		30—300 300—500 500—1000	4 2,5/4 1,5/2,5/4
		30—500 500—800 800—1000	1 1/3,5 1/2,5/3,5
<p>1 — 0.8 2,0 3 ()</p> <p>(),</p> <p>2 —</p>			

8.4

CISPR 16-2-1,

« ».

8.5

(/) .

9 30 () (

CISPR 11);
30 1000 ;

1

15*

360°

() .

CISPR 16-2-3—2016

8.6

8.7

8.2.

()

.1

((OATS))

(OATS)

—

8

CISPR 16-1-4, 5.2.4.

.2

.2.1

.2.2

(EUT disturbance):
(ambient emission):

(OATS)

CISPR 16-1-4.

CISPR 16-1-1, -

CISPR

.4


.4.1

.1

1—

« CISPR 16-1-1. »

4.2




CISPR 16-2-3—2016

b)

(
(
)

c)

(
)



(
).
2—
 $f_n \sim n f_{Qr}$ l_0

.4.3
.4.3.1



CISPR,

)



.4.3.2

(
)

(
1)




4.3.3



10 (0.4) 10 ; 1.4 2 D 0,9 10 ; 3

CISPR 16-2-3—2016




.5 — AM 8

CISPR

4.3.4

12 14

6 ,
14 ,
t = 50 .




.6— (50)

4.3.5

(.7)

детектора.



120

.7— ()

.4.4

4.4.1

CISPR;


() ;

CISPR 16-2-3—2016

4.4.2

(рис. 8)

(см. CISPR 16-1-1).




 120

.8—

4.4.3

(рис. 9)

6 (100 %)



 120

.9—


4.4.4

100 %

100 %

1:1

6



U_a — ; U_i — ,
10 —

$$= +14 \quad (.1)$$

$$4 = 4^d \quad (.2)$$

$$D = U_r/U_a, \quad d = 20 \log D. \quad (.3)$$

$$U_a = U_r - U_r/D = U_r(1 - 1/D) \quad (.4)$$

$$= \dots * 20 \log (1-1/0). \quad (.5)$$


CISPR 16-2-3—2016

(.6) /

$$i = -20 \log(1 - 1/D) \quad (.6)$$

/ .11, / .11.

$$U_{i,дБ} = U_{r,дБ} - i \quad (.7)$$



U_a — ; U_r — () ; U_i —

$$i = -20 \log(1 - 1/D)$$

.11 —

/ (() (6)]

d

.11

a) $U_a = (/) ()$,

b) $U_r = (/) ()$;

c) $d = U_r - U_a$;

d) / .11;

e) (/), $= U_r /$.

.12.

.12

(8)

1,5

(.12),


.2.

(7),

(. 11).

$$i = -10 \log (1 - 1/D^2).$$

(A.9)



1

(.8); 2— (^

, (^ ; 3 — U_a : AM 99 %. U_p :
 $t_r^* 10$; 4 — U_a : AM 99 %, U_p .

. (, = 1 .

.12 —

(8)

g A 2 —

CISPR 16-2-3—2016

		•	«	*
,	-			
«)	*1,4	* 1	—
[—] iQPj		3	te ^{s,2} H	—
		— 6 9	— 6 9	—
,	/			()
(\	qp	»	*	9
^Qp)		— 9	— 9	—

*

1 — X—

2 — W—

3 —

QP— «

. AV—

1 16 -1

()

.1

6.

.2

2000 , . . -
, -

160 ().

(£ 6). X ()
(± 0,5) , .

.4

CISPR 16-1-1

.5

CISPR 16-1-1. -

40

D. -

.6

()

.7

CISPR / -
:

		«
	100 /	20 /
	100 /	200 /
ChD	1 /	20 /

« »
(. 6.5.1) 15 . -

CISPR 16-2-3—2016

.8

.9

.10

.11

()

.1

a)

b)

c)

9⁶ 1

.2

.2.1

$$S_{res} = 1/B_{video}$$

$$= 20 \log$$

T_{smin} (

max)

min "

(.1)

$$R_{smax} = \sqrt{T_{imin}} = B_{rts} B_{vdec} k$$

(.2)

/ —
—

1.

100

.1.

100 .1 —

			0
	9—150	150 —30	30—1000
s	200	9	120
B_{video}	100	100	100
	17,4 /	0,9 /	12 /
	6	39	61.5

(),

100

100

.2.2

CISPR 16-2-3—2016

()
 = $20 \log(7^{\wedge}_V S^{\wedge})$, T_{av} —
 100
 : (+1). $T_{av} f_p > 10$, 1
.2.3

f_m —
 100 % 1 , $10/f_m$

CISPR 16-1-1

) 100 (2- 0,64 1 160 ()
 (. .2).


.2 —

	9—150	150 —30	30—1000
	200	9	120
	160	160	100
	0,64	0,64	1
	8,9 /	172 /	8,3 /

5 .

(. .2.1).
 .1 .2 10 (AV)
 f_p (CISPR AV)
 160 (.1) 100 (.2).

уровень, дБ






.1 —

10

(CISPR AV)
 160

()

(AV):



()


(APD)

APD,

(1, .7.6.6.3.2) 0.1 0.2


(2, .7.6.6.3.3)

(/)



— : b— 10^{-d} — E_{meas} * 10¹²;
 tf — Δ = 10⁻⁴; — Δ = 10⁻²; N — . V—

D.1 — 1



$P_{naas} = 60 \text{ dB} \left(\frac{1}{\sqrt{N}} \right); \text{ } P_{naas} = 90 \text{ dB} \left(\frac{1}{\sqrt{N}} \right); \text{ } P_{naas} = 60 \text{ dB} \left(\frac{1}{\sqrt{N}} \right);$
 D.2 — APD 2

APD (APD,) , APD
 (, = 5, 10 .).
 APD, — , N — (= AW)
 XX.
 (APD 1 RBW= 1).
 , 6 APD, (. . /2, 8 — -
 6).
 $B_{imp} 8_6$ 1 , 6 (8)
 1 XX N. Sg/2, ^ 8 ,
 (. . 0,5).

()

20
CISPR 16-1-1.

.1,

20

.1 —

		C/D
7	13	21

CISPR 16-1-1

CISPR 16-2-3—2016

()

. 1

CISPR 14-1:2005	IDT	CISPR 14-1—2015 « 1.»
CISPR 16-1-1	MOD	30805 16.1.1—2013 (CISPR 16-1-1:2006) « 1-1.»
CISPR 16-1-2:2003 Amendment 1 (2004) Amendment 2 (2006)	IDT	CISPR 16-1-2—2016 « 1-2.»
CISPR 16-1-4:2010	IDT	CISPR 16-1-4—2013 « 1-4.»
CISPR 16-2-1:2008	IDT	CISPR 16-2-1—2015 « 2-1.»
CISPR 16-4-1	—	*
CISPR 16-4-2	IDT	CISPR 16-4-2—2013 « 4-2.»
CISPR 16-4-5	—	«
IEC 60050-161: 1990 Amendment 1 (1997) Amendment 2 (1998)	—	

1>

50397—2011 (60050-161.1990) «
»

.1

IEC 61000-4-3:2006		IEC 61000-4-3—2016 « (). 4-3. »
IEC 61000-4-20	—	IEC 61000-4-20—2016 « 4-20. »
<p>* “ 2 (1998 .) IEC 60050-161:1990 1 (1997 .) — IDT — ; MOD —</p>		

CISPR 16-2-3—2016

- [1] CISPR 11:2009, Industrial, scientific and medical equipment — Radiofrequency disturbance characteristics — Limits and methods of measurement
()
- [2] CISPRHR 16-3:2010, Specification for radio disturbance and immunity measuring apparatus and methods — Part 3: CISPR Technical reports. Amendment 1:2012
(CISPR. 1:2012) 3.
- [3] CISPR 22:2008 Information technology equipment — Radio disturbance characteristics — Limits and methods of measurement
()
- [4] IEC 61140:2001, Protection against electric shock — Common aspects for installation and equipment
()
- [5] ISO/IEC Guide 2:2004, Standardization and related activities — General vocabulary
()
- [6] ISO/IEC 17000:2004, Conformity assessment — Vocabulary and general principles
()
- [7] IEC 61000 4-21, Electromagnetic compatibility (EMC) — Part 4-21: Testing and measurement techniques — Reverberation chamber test methods
[(). 4-21.]
- [8] ISO/IEC Guide 99:2007, International vocabulary of metrology — Basic and general concepts and associated terms (VIM)
()
- [9] IEC 60050-151:2001, International electrotechnical vocabulary (IEV) — Part 151: Electrical and magnetic devices
[(). 151.]
- [10] Ryser ., Motivation for the use of CMAD in radiated emission measurements (CMAD: common mode absorbing devices), Report 2007-218-630, Federal Office of Metrology (METAS), Bern-Wabern, Switzerland, 11 September 2007, available as a downloaded PDF from <http://www.metas.ch/2007-218-630>
[CMAD (CMAD: -)]

