

( )  
INTERSTATE COUNCIL FOR STANDARDIZATION, METROLOGY AND CERTIFICATION  
(ISC)

**IEC 62841-3-4-**  
**2016**

3 - 4

(IEC 62841-3-4:2016,  
**Electric motor-operated hand-held tools, transportable tools and lawn and garden  
machinery — Safety — Part 3-4: Particular requirements for transportable bench  
grinders, IDT)**



2017

IEC 62841\*3\*4—2016

1.0—2015 «  
 1.2—2015 «  
 1 «  
 2 262 «  
 3 25 2016 . No 92\* )

|                |  |  |
|----------------|--|--|
| ( 3166) 004-97 | ( 3166) 004- 97                              |  |
|                | AM<br>8Y<br>GE<br>KG<br>RU<br>TJ<br>UZ<br>UA |  |

4 17  
 2017 . 146- IEC 62841 \*3\*4—2016  
 1 2018 .  
 5 IEC 62841\*3\*4:2016 «  
 3\*4.  
 » («Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery — Safety — Part 3-4: Particular requirements for transportable bench grinders», IDT).  
 1.5—2001 ( 3.6).  
 IEC/TC116 «Safety of motor-operated electric tools» («  
 »).  
 010/2011 « 004/2011 «



IEC 62841\*3\*4—2016

|    |            |    |
|----|------------|----|
| 1  | .....      | 1  |
| 2  | .....      | 1  |
| 3  | .....      | 1  |
| 4  | .....      | 1  |
| 5  | .....      | 2  |
| 6  | , .....    | 2  |
| 7  | .....      | 2  |
| 8  | .....      | 2  |
| 9  | .....      | 3  |
| 10 | .....      | 4  |
| 11 | .....      | 4  |
| 12 | .....      | 4  |
| 13 | .....      | 4  |
| 14 | .....      | 4  |
| 15 | .....      | 4  |
| 16 | .....      | 4  |
| 17 | .....      | 4  |
| 18 | .....      | 4  |
| 19 | .....      | 5  |
| 20 | .....      | 8  |
| 21 | .....      | 9  |
| 22 | .....      | 10 |
| 23 | .....      | 10 |
| 24 | .....      | 10 |
| 25 | .....      | 10 |
| 26 | .....      | 10 |
| 27 | .....      | 10 |
| 28 | , .....    | 10 |
|    | .....      | 15 |
|    | I( ) ..... | 16 |
|    | ( ) .....  | 17 |
|    | .....      | 18 |

IEC 62841\*1-2014 «  
1.  
IEC 62841-1:2014 «Electric motor-operated hand-held tools,  
transportable tools and lawn and garden machinery — Safety — Part 1: General requirements»(  
1.  
IEC 62841-1:2014.  
101.  
IEC 62841-3-4.  
8  
( )  
36

3-4

Electro motor-operated hand-held tools, transportable tools and lawn and garden machinery. Safety and test methods.  
Part3-4. Particular requirements for transportable bench grinders

— 2018—01—01

**1**

IEC 62841-1  
:  
( — ),  
• 1 ISO 603-4. 310  
55 ;  
• 310 55 ;  
• 310  
10 50 / .

**2**

IEC 62841-1  
:  
ISO 603-4. Bonded abrasive products — Dimensions — Part 4: Grinding wheels for surface grinding/peripheral grinding ( 4. ).

**3**

IEC 62841-1  
:  
3.101 (bench grinder): , -  
, , ( .  
101).  
3.102 (tool spindle): ,  
3.103 (work rest): ,

**4**

IEC 62841-1 .

IEC 62841\*3\*4—2016

4.101 ; D , , D, \*  
( ). a D ( ). D.

5

5.17 : IEC 62841 \*1

6

IEC 62841\*1.

7

IEC 62841\*1.

8

8.1 : IEC 62841 \*1

\* ( ) :

8.2 : « Q 8 — » « 004» no ISO 7010.



\* ), , ( . . , \*

8.3 : \*

8.14.1 : 8.14.1.101.

8.14.1.101

\* \*

a)

\*

\*

( )

\*  
\*

1

«

b)

\*

c)

( )

( )

d)

( )

8.14.2 ) :

101)

102)

8.3.

103)

( , -

)

104)

8.14.2 ) :

101)

102)

2

103)

104)

105)

106)

107)

108)

109)

110)

85\*

8.14.2 ) :

101)

9

IEC62841-1.

IEC 62841\*3\*4—2016

**10**

IEC 62841\*1.

**11**

IEC 62841\*1.

**12**

1 62841\*1.

**13**

IEC 62841\*1.

**14**

IEC 62841\*1.

**15**

IEC 62841\*1.

**16**

IEC 62841\*1.

**17**

1 62841\*1.

**18**

IEC 62841 \*1

18.5 : , 18.5.1 19.5.2  
 , 18.5.3.  
 18.5.3 : 18.5.3. 5 .  
 18.8 , 4.

4 —

|   |   |
|---|---|
|   |   |
| , |   |
| , |   |
| , | - |
| , | - |

4

|       |         |
|-------|---------|
|       |         |
| ( )   | 120 % - |
| ( ) , | 130 % - |
|       |         |
|       | 18      |
| 23.3  |         |

**19**

IEC 62841\*1

|           |              |                     |          |
|-----------|--------------|---------------------|----------|
| 19.1      |              |                     | *        |
| 19.1.103. |              |                     | 19.1.101 |
| 19.1.102. | 19.1.101     | 19.1.102, 19.1.103. | *        |
| 19.1.101  |              |                     | -        |
| 102.      |              |                     | 19.1.102 |
|           | 1,07         |                     | -        |
| 19.1.102  |              |                     | -        |
|           | 90 ( . 102). | 65 .                | -        |
| 19.1.103  |              |                     | -        |
| 103.      |              |                     | -        |
|           |              | ( ) ,               | -        |
|           | ( )          |                     | -        |

S

IEC 62841\*3\*4—2016

19.6 :

19.7 : 5

19.7  
19.7.101

19.8  
•  
•  
19.101

0 2  
90 %  
8.3, 102.

19.102

0 2  
8.3 ( . F 102). 90 %

85 ( . 104).

8.14.2b).  
19.103

101 — ( ) ( . 10S)  
101.

|         | <i>if</i> |    |     |
|---------|-----------|----|-----|
| 100     | 34        | 6  | 1.5 |
| 100 125 | 42        | 8  | 1.5 |
| 125 150 | 52        | 9  | 1.5 |
| 150 200 | 68        | 12 | 1.5 |
| 200 250 | 85        | 1S | 1.5 |
| 250 310 | 100       | 17 | 1.5 |

IEC 62841\*3\*4—2016

19.104

19.103

102

0.05

1

102

102 —

|     |       |      |     |
|-----|-------|------|-----|
|     |       |      |     |
| 8   |       | 2    | 8   |
| 10  | /     | 4    | 15  |
| 12  | 1/2   | 7.5  | 30  |
| 14  |       | 11   | 45  |
| 16  | 5/6   | 17.5 | 70  |
| 20  | 3/4   | 35   | 140 |
| >20 | > 3/4 | 75   | 300 |

19.105

19.106

0.1

0.3

19.107

100

250000

150  $D^2/1607$

$D$  —

150, 14

D.

9.

7

IEC 62841\*3\*4—2016

20

IEC 62841 \*1

20.5  
20.101

J

103 104 102.

103 —

| *<br>«<br>-<br>*<br>*<br>/ 2 | /        | *  | D.  |     |         |     |         |    |         |     |
|------------------------------|----------|----|-----|-----|---------|-----|---------|----|---------|-----|
|                              |          |    | 125 |     | 125 200 |     | 200 250 |    | 250 310 |     |
|                              |          |    |     | J.  |         | J.  |         | J. |         | J.  |
| 300                          | 10<br>32 | 25 | 1.5 | 1.5 | 2       | 1.5 | 2       | 2  | 2.5     | 2.5 |
|                              |          | 55 | 1.5 | 1.5 | 2       | 1.S | 3       | 2  | 3.5     | 2.5 |
|                              | 32<br>40 | 25 | 1.5 | 1.5 | 2       | 1.5 | 2.5     | 2  | 3       | 2.5 |
|                              |          | 55 | 1.5 | 1.5 | 2       | 1.5 | 3.5     | 2  | 4       | 2.5 |
|                              | 40<br>50 | 25 | 1.5 | 1.5 | 2       | 1.5 | 3       | 2  | 3.5     | 2.5 |
|                              |          | 55 | 2   | 1.5 | 3       | 2   | 4.5     | 3  | 5       | 3.5 |

104 —

| -<br>* | /     | ,  |     |     |         |     |         |    |
|--------|-------|----|-----|-----|---------|-----|---------|----|
|        |       |    | 125 |     | 125 200 |     | 200 250 |    |
|        |       |    |     | J.  |         | J.  |         | J. |
| 310    | 10 32 | 10 | 5.5 | 5   | 6.5     | 5   | 8       | 8  |
|        |       | 20 | 6   | 5   | 8       | 6   | 10      | 8  |
|        |       | 32 | 6.5 | S   | 9       | 7   | 12      | 10 |
|        | 32 50 | 10 | 6   | 5   | 8.5     | 7   | 10.5    | 9  |
|        |       | 20 | 7   | 6   | 10      | 6   | 13      | 11 |
|        | 10 32 | 10 | 2.5 | 2.S | 3.5     | 3.5 | 4       | 4  |
|        |       | 20 | 3   | 3   | 4       | 4   | 5       | 5  |
|        |       | 32 | 3.5 | 3.5 | 4.5     | 4.5 | 6       | 5  |
|        | 32 50 | 10 | 3   | 3   | 4       | 4   | 5       | 5  |
|        |       | 20 | 3.5 | 3.5 | 4.5     | 4.5 | 6       | 5  |
|        |       | 32 | 4   | 4   | 5       | 5   | 7       | 8  |

20.102

8.3.  
105.

105 —

|         |    |
|---------|----|
|         |    |
| 80      | 8  |
| 80 155  | 12 |
| 15S 206 | 15 |
| 206 2S6 | 18 |
| 256 310 | 24 |

20.103

19.4.

8.14.2 ) 109.

600

70

10

1

20.104

8.14.2

3D.

1

**21**

IEC 62841\*1

21.15  
21.18.2.1

IEC 62841\*3\*4—2016

21.30  
21.35  
21.101

**22**

IEC 62841\*1.

**23**

23.3 : ( , ) ,  
IEC 62841 \*1 :

**24**

IEC 62841\*1.

**25**

IEC 62841\*1.

**26**


1 62841\*1.

**27**

IEC 62841\*1.



**28**

,  
IEC 62841\*1.




1 — ; 2 — ; 3 — ;  
4 — ; 5 — ; 6 — ; 7 — ;  
101 —

IEC 62841\*3\*4—2016




f— ; 2— ; 3— . 4—  
 ; S— ; — ; —  
 ; J— ; — ; —  
 F— ; — ; —



и ; 575 ; 75 ; — ,


103 —



J—

104 —

IEC 62841 •3\*4—2016



$d$  —

;  $t$  —

: —

105 —

IEC 62841\*3\*4—2016

IEC 62841\*1

IEC 62841\*3\*4—2016

( 1 )

1.2 ( 2 )

IEC 62641\*1

1.2.4

1.2.5

1.1.

1.101

1.101 —

|  |                  |   |                  |
|--|------------------|---|------------------|
|  | 150<br>(5 ± 0.5) | 5 | -<br>-<br>-<br>- |
|  |                  |   | -                |
|  | 30               |   |                  |
|  |                  |   | F60.             |

1.3

IEC 62641\*1



IEC 62841 •3\*4—2016

IEC 62841-1,

621.869:669.01:006.354

25.140.20

- : , , - , \*

20.03.2017. 22.04.2017. 6 0 . 6 4  
. . . 2.79. . - . . 2.62. 28 . . 544

« www.90stinfo.1u ». 123905 , ., 4.  
info@gosinfo.ru