

()

INTERSTATE COUNCIL FOR STANDARDIZATION, METROLOGY AND
CERTIFICATION (ISC)

IEC 60580-
2011

(IEC 60580:2003, IDT)

2013

1.0—92 «

1.2—2009 «

1
«

» ()

2

()

3

(40-2011 29 2011 .)

(!66) 004—97	()) 004—97	
	BY KZ KG RU TJ	;»)

4
I3 20 . .Vs 1283-IEC 60580-2011
1

2013 .

IEC 60580:2003

5
Medical electrical equipment. Dose area product meters ().
(1DT).

- (1DT).

60580-2006

6

() « ».

« ».
« ».

© , 2013

,

III

1	1
2	1
3	3
4	9
4.1	10
4.2	-
4.3	10
4.4	10
4.5	10
4.5.1	10
4.5.2	10
4.5.3	11
4.5.4	11
4.5.5	12
4.6	12
4.7	12
4.8	13
4.8.1	13
4.8.2	-
4.8.	13
4.8.4	14
4.8.5	14
4.9	15
4.10	15
4.11	15
5	16
5.1	16
5.2	17
5.3	17
5.4	18
5.5	18
5.6	18

5.7	18
5.8	20
5.9	21
5.10	21
6	21
6.1	21
6.2	-	22
6.2.1	22
6.2.2	22
6.3	23
6.4	23
6.5	23
6.6	24
6.7	24
6.8	25
6.9	25
6.9.1	25
6.9.2	26
6.9.3	26
6.9.4	,	27
6.9.5	27
6.9.6	,	27
7	28
7.1	28
7.2	28
8	28
()	35
()	37
	40

Medical electrical equipment.

2013-01-01

1

,

,

/

,

1)

2)

2

():

IEC 60417() Graphical symbols for use on equipment ()

IEC 60601-1:1988 Medical electrical equipment; part 1: general requirements for safety ()

1.

I

IEC 60601-1-1:1992 Medical electrical equipment; part 1: general requirements for safety; collateral standard: safety requirements for medical electrical systems (-)

— 1-1:

)

IEC 60601-1-2:1993 Medical electrical equipment; part 1: general requirements for safety; 2. collateral standard: electromagnetic compatibility; requirements and tests (— 1-2: —)

:

)

IEC 60731:1997 Medical electrical equipment - Dosimeters with ionization chambers as used in radiotherapy (—)

, ,)

IEC 60788:1984 Medical radiology - Terminology ()

IEC 60950:1999 Safety of information technology equipment ()

IEC 61000-4-2:1995 Electromagnetic compatibility (EMC) - Part 4: Testing and measurement techniques - Section 2: Electrostatic discharge immunity test (—)

4:

2:

)

IEC 61000-4-3:1995 Electromagnetic compatibility (EMC) - Part 4: Testing and measurement techniques - Section 3: Radiated, radio-frequency, electromagnetic Held immunity test (—)

4:

3.

,

)

IEC 61000-4-4:1995 Electromagnetic compatibility (EMC) - Part 4: Testing and measuring techniques - Section 4: Electrical fast transient/burst immunity test - Basic EMC publication (—)

4:

4.

)

IEC 61000-4-5:1995 Electromagnetic compatibility (EMC) - Part 4: Testing and measurement techniques - Section 5: Surge immunity test (—)

4:

5.

)

->

IEC 61000-4-6:1996 Electromagnetic compatibility (EMC) - Part 4: Testing and measurement techniques - Section 6: Immunity to conducted disturbances, induced by radio-frequency fields (4:

6.

)

IEC 61000-4-11:1994 Electromagnetic compatibility (EMC) - Part 4: Testing and measuring techniques - Section 11: Voltage dips, short interruptions and voltage variations immunity tests (4:

11.

)

IEC 61187:1993 Electrical and electronic measuring equipment; documentation (—)

IEC 61267:1994 Medical diagnostic X-ray equipment - Radiation conditions for use in the determination of characteristics ()

3

« »

, IEC 60788 ISO «

» (1);

ISO «

» [2].

8

8

3.1

3.2

$$= <^*$$

 dE_{xe} d_m

(60) (3J)

3.3

 dt dK $dt.$

(• '1) (60) [3].

3.4

3.5

(IEC
60731).

3.6

(IEC 60731).

3.7

()

2.

3.8

3.9

3.10

• 2/ .

(

):

: (),

— ()

« »

,
(IEC 60731).

3.11

,

(IEC 60731).

3.12

*

3.13

, 8

3.14

(IEC 60731).

3.15

(. .

. .) (IEC 60731).

3.16

(IEC 60731).

3.17

(. . ,
)

(IEC

60731).

3.18

, 8

3.19

3.20

/

3.21

$\pm L \%$, / , , 8
 $L \%$! % (IEC 60731).

3.22

3.23

3.24

3.25

3.26

,
(IEC 60731).
3.27 : (),
(IEC 60601-1).

3.28

(, ,
) (IEC 60731).

3.29

3.30

3.31

,
—

3.32

():

,

(IEC 60731).

60731).

3.34

:
—

(),
—

(),
—

(IEC 60731).

3.35

:
—

(IEC 60731).

3.36

:
—

(IEC 60731).

3.37

:
—

(IEC 60731).

3.38

:
—

:

—

—

(IEC 60731).

3.39

/

3.40

(IEC 60731).

3.41

(IEC 60731).

3.42

(IEC 60731).

3.43

(IEC 60731).

3.44

,

3.45

,
8

3.46

/

() (IEC
60731).

4.1

,
5 6.

4.6 5 6.

4.2

1.

4.3

/

4.4

2.

4.5

4.5.1

,
2,

)

6} ,

4.5.2

4.5.2.1

» ; «
» (,
)
« » ,
, , V_4

4.5.2.2

(,).

4.5.3

, , ,
,

4.5.4

, ,

4.5.5

7₅

4.6

95 %-

3. 3

V

4.7

7₅

7₆

,
4.8

4.8.1

4.8.1.1

• 2,
2/ .

4.8.1.2

,
(,
) ,

4.8.3

4.8.3.1

4.8.3.2

4.8.4

4.8.5

4.8.5.1

4.3.

4.8.5.2

4.8.5.3

70 %

4.8.5.4

0,5 99 %.

70 , 10 %

2

4.9

4.9.1

$\pm 2 \%$.

50 %

6.

4.10

4.10.1

5 6

4.10.2

4.11

IEC 60601-1 IEC 60601-1-1.

— ()

IEC 60601 *1.

— IEC 60950.

5

5.1

*

* ,

2,

4.

(. .

/

)

6.2.2.

10

,
,

5.2

,
,

3

8

/

$\pm 10 \%$.

$\pm 10 \%$.

$\pm 10 \%$.

()

5.3

5.

0,25

%.

5.4

10 %.

5.5

15

5.6

5.7

5.7.1

10 %

1

15, 30, 45

1

,

,

,

,

,

5.7.2

«

»

,

10 %

,

,

,

,

«

».

,

,

,

,

,

,

5.7.3

10 %

,

$\pm 10 \%$

5.7.4

10%

5.8

$\pm 5\%$

5.9

, 90 %

3

1

10

5.10

, ± 5 % .

10 %

6

, ± L,

6.

6.1

6.

2,5

- 50, 70, 100, 150

6.2

6.2.1

$$\frac{R_{max} - R_{min}}{R_{max} + R_{min}} \leq 0,05,$$

 $R_{max} -$ $R_{min} -$

6.2.2

90 %,

, =1+2.4K_{...tfVi/}

, / ;

d—

, ;

U—

,

K_s

1,11.

6.3

,

6.

1 3 ,
10:1.

6.4

,

6.

, ,

,

6.5

6.5.1

10 %

10 %

,

6.6

6,

80,0 106

101,3

6.7

6

(

20 / 3).

8

	, %	, / 3
20	50	8.5
15	80	11.5
26.5	80	20.0
35	50	20.0

8

24

6.8

6.10,

8

2.

6.10.

6.9

6.9.1

IEC 60601-1-2.

6,

IEC 60601-1-2.

1— « » ,

2—

6.9.2

6.

150 , 6
330 (3

IEC 6100-4-2).

8 (3).

6.9.3

(,)

6.

(),

3 /

80 1 1 % (2 no IEC 61000-4-3).

80, 90, 100, 110, 120, 130, 140, 150, 160, 180, 200, 220, 240, 260, 290, 320, 350, 380,
420, 460, 510, 560, 620, 680, 750, 820, 900 1000 10 /

1/3 , 6,

$\pm 5 \%$

1 % 3 / .

61000-4-3.

6.9.3

,
— 6.9.4,

27

6.9.4

,
()

,
6.

)
,
4-6),

(IEC 61000-

3.

6.9.5

,
()

,
6.

,
,

()

(IEC 61000-4-5).

3 IEC 61000-4-5.

6.9.6

,
,

()

,
,

,
6.

,
,
IEC 61000-4-11,

6.10

$\pm 25\%$ ($n = 2$).

IEC 60731.

7.

7

7.1

(),

5 6

IEC 60417.

7.2

8

8.1

8.2

IEC 61187.

8.3

();

, ();

;

();

0,5

1 —

	* *
	1.0—1. U- 10'
	$1.0 \cdot 10^1—1.0 \cdot 10^0$
	$1.0 \cdot 10^-1—1.0 \cdot 10^*$

1 —

	• 2/
	$1.0 \cdot 10^n—1.0 \cdot 10^l$
"	$—(1.0 \cdot 10^*—1.0 \cdot 10^*)$.

2 —

		08
.	20	+15 +25
%	50	30 75
.	101.3	-
*	1	±10%
	II iuu	
	{ IEC 61267)	
		±10%
		"
		"
«	»	,
		,
		,
		,
		,
		,
		,

3 —

(95 %)

	V							
	< 0.5 %	0.5 %	1 %	2%	3 %	4 %	5 %	10%
1 %		6	25	100	250	400	600	2500
2%		“	6	25	55	100	150	550
3%	.	“	“	12	25	45	70	250
4%	•	“	•	6	15	25	40	150
5%		“		•	9	16	25	100
10%	•	“	“	“	•		7	25
	1 —				,			,
				0.05.				5
					,			,
					,			,
					“*”.			

4 — , %

		!%
•	<10.0 >10.0	# = ±(10% + 1) #=±10%
• 2/	< 1.0 > 1.0	/=±(10%+1) #=±10%

5 —

 V_{mJ}

		$V^{TM} \%$
— 2	< 10,0 10.0	5 2
• • 2/	# • < 1.0 21.0	5 2

6 —

			-	-
	1 ; — 2.5	100 ; —2.5 AJ	±8	6.1
()	$1.0 \cdot 10$, 2/ $1.5 \cdot 10^4$ • 2/		±5	6.2.1
	1 1		±10	6.2.2
			±5	6.7
			±5	6.4

6				
*			8	-
	-10% +10%			L.%
	80.0 106.0	1.3	±2	6.5
I *	+15 ° +40 °	+20 °	±2	66
-	£ 80 %	50%	±3	6.7
-	8 61000-4	IEC	±5 >	6.9

6*

7 —

		11 ± L. %	- %
"	6.1	8	4.6
'	621	5	2.9
	622	10	2.9
-'	6.3	5	2.9
"	6.4	5	2.9
*'	6.5	2	1.2
*"	6.6	2	1.2
I "	6.7	3	1.7
*"	6.9	5	2.9
*"	5.7	10	5.8
,	6.8	4.8	2.8
,	6.8	7.6	4.4
= 1 >	-	-	11.4
= 2	-	-	22.8
- 2	5.1	-	10.0
= ≠'	-	-	24.9
* ± L. . .			
61	L / \ 3.	0 L, . .	-
°	L / \ 12.	96,7 106 ;	-
— 101,3)	15 ° 60° 0:	-
"	— 37 °	,	2.
0	(= 2)	.	.

()

.1

	3.46
	3.15
	3.2
	3.37
	3.9
	3.40
	(2)
	(1)
	3.22
	1
	3.23
	3.8
	3.24
	3.15
	3.16
	3.18
	3.43
	3.30
-	3
	3.4
	3.25
	3.26
	3.3
	0)
	3.31
	3.32
	(D
	3.5
	0)
	(D
	3.35
	3.45
	3.44
	3.21
	3.7

. 1

	3.9
	0)
	3.38
	3.11
	(D
	3.13
	3.17
	3.1
	3.34
	3.33
	3.42
	3.41
	(1)
	0)
	3.39
	3.20
	3.6
	3.12
	(1)
	3.29
	3.28
	3.10
	3.36
	(D

()

1			
IEC 60601-1:1988 1.			30324.0-95 1.
IEC 60601-1-1:1992 1-1.	IEC 60601-1-1:2000 1-1.	IDT	IEC 60601- 2011 1-1.
IEC 60601-1-2:1993 1-2.			
IEC 60731:1997			
IEC 60766:1984			
IEC 60950:1999			

IEC 61000-4-2:1995 4. 2.			36504.4.2-2 2
IEC 61000-4-3:1995 4. 3.		MOD	30504.4.3-2 2
IEC 61000-4-4:1995 4. 4.		MOD	30804.4.4-2002
IEC 61000-4-5:1995 4. 5.		MOD	30804.4.5-2002
IEC 61000-4-6:1996 4. 6.		MOD	30804.4.6-2002
IEC 61000-4-11:1994 4. 11.		MOD	30804.4.11-2002

IEC 61187:1993			
IEC 61267:1994			
• MOD -			

[1] ISO: 1993
, 2-

[2] ISO: 1993
, 1-

[3] 60:1998

60, ,

(1998)

616.71 -77-034:621.882.15:006.354

19.100

E84IDT