



62485-4
2018

4

(IEC 62485-4:2015, IDT)



Москва
Стандартинформ
2018

62485-4—2018

1 « » (-
») 4 ,

2 044 « »

3 8
27 2018 . No 664-

4 62485-4:2015 « -
4. -

» (IEC 62485-4:2015 «Safety requirements for secondary batteries and battery installations — Part 4: Valve-regulated lead-add batteries for use in portable appliances», IDT).

5

6 () . -
-

29 2015 . 162- « 26
».

) () « 1
»,

— « ».

() « -
»,

— (www.gost.ru)

© , . 2018

1	1	
2	1	
3	1	
4	2	
5	2	
6	2	
6.1	2	
6.2	2	
7	3	
7.1	3	
7.2	3	
7.3	3	
7.4	3	
7.5	3	
7.6	3	
8	3	
8.1	3	
8.2	4	
8.3	4	
8.4	4	
8.5	4	
9	4	
10	4	
	()	5
	()	7
	8

62485-4—2018

62133.

60086.

1 5.

Secondary batteries and battery installations. Safety requirements.
Part 4. Valve-regulated lead-acid batteries for use in portable appliance

— 2019—03—01

1

2

8

IEC 60050-482:2004, International Electrotechnical Vocabulary — Part 482: Primary and secondary cells and batteries () 482.

IEC 60417. Graphical symbols for use on equipment ()

IEC 61429:1995. Marking of secondary cells and batteries with the international recycling symbol ISO 7000-1135 ()

7000-1135)

ISO 7000. Graphical symbols for use on equipment — Registered symbols ()

3

8

60050-482.

3.1 (battery for use in portable appliances):

62485-4—2018

3.2

(secondary cell, secondary battery):

(60050*482:2004.

482-01-03.

]

4

a)

b)

c)

d)

e)

f)

)

5

6

6.1

60417.

6.2

7

7.1

7.2

7.3

7.4

7.5

7.6

8

8.1

8

8.2 8.5.

62485-4—2018

8.2

,
— (),

8.3

8.4

8.5

9

10

61429. —), 7000*1135 (—
61429:1995. —

()

.1

a)

b)

c)

d)

e)

)

)

h)

i)

j)

k)

.2

a)

b)

c)

d)

)

)

h)

90*

(*+» «-»).

1 2

62485-4—2018

- i) (+) (-) ,
- j) ,
- k) , , ,
- l) .
-) ,
-) ,
-) .
-) , -
- q) , , , , , - ,
-) .
- s) ,
- t) ,
- } ,
- (20 ± 5)* .
- v) .
- w) , .
- x) , .
-) , -
- z) ,
-) , , , - -
-) ,
-) , .

()

IEC 60050-482:2004		60050-482—2011 « . »
IEC 60417		•
IEC 61429:1995		61429—2004 « 7000-1135» -
ISO 7000		•
<p>* .</p> <p>• — :</p>		

62485-4—2018

- [1] IEC 60086-1 Primary batteries — Part 1: General ()
- [2] IEC 60086*2 Primary batteries — Part 2: Physical and electrical specifications ()
- [3] IEC 60086-3 Primary batteries — Part 3: Watch batteries ()
- [4] IEC 60086-4 Primary batteries — Part 4: Safety of lithium batteries ()
- [5] IEC 60086-5 Primary batteries— Part 5: Safety < batteries with aqueous electrolyte ()
- [6] IEC 60335-1 Household and similar electrical appliances — Safety — Part 1: General requirements ()
- [7] IEC 61056-1 General purpose lead-acid batteries (valve-regulated types) — Part 1: General requirements, functional characteristics — Methods of test ()
- [8] IEC 61056-2 General purpose lead-acid batteries (valve-regulated types) — Part 2: Dimensions, terminals and marking ()
- [9] IEC 62133 Secondary cells and batteries containing alkaline or other non-acid electrolytes — Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable application ()
- [10] IEC 62485-2 Safety requirements for secondary batteries and battery installations — Part 2: Stationary batteries ()

621.355.2:006.354

29.220.20

27.20.22.000

11—2018/25

01.10.2016.

06.10.2016.

60*641/*

« .117416 »
www.goslinro.ru «ifo@gosbnfo.nj

- . . 31. . 2.